


PageSpeed Insights

Mobile



68 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 0.76 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 155.1KiB (23% reduction).

- Compressing https://kulibino.ru/wp-content/uploads/2019/08/Spartak.jpg.pagespeed.ce.AoQ6DQD_u1.jpg could save 26.6KiB (83% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-4-768x725.jpg.pagespeed.ce.lm7bH5tZ0n.jpg could save 21.2KiB (20% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_futbolka-3-768x725.jpg.pagespeed.ce.Zl_7iT5DRv.jpg could save 18.9KiB (20% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_podarochnyj-1-768x725.jpg.pagespeed.ce.HgD3CltZRd.jpg could save 16.7KiB (25% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_podarochnyj-4-768x725.jpg.pagespeed.ce.nwgbQttvJY.jpg could save 15.7KiB (26% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/05/Kartinki-novostej-Kulibino_pechat-metodom-shelkografii.jpg.pagespeed.ce.afYueikcEY.jpg could save 14.5KiB (31% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_banan-1-768x725.jpg.pagespeed.ce.JyFyKGFD5D.jpg could save 11.7KiB (13% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-1-768x725.jpg.pagespeed.ce.aHHuHIBDB7.jpg could save 7.7KiB (18% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/12/kartinki-novostej-kulibino_nadyozhnost-ruchek-polietilenovyh-paketov.jpg.pagespeed.ce.FUVjs9JNfw.jpg could save 6.8KiB (20% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/05/Kartinki-novostej-Kulibino_paket-s-logotipom.jpg.pagespeed.ce.Xh2hMizjW_.jpg could save 5.2KiB (14% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-2-768x725.jpg.pagespeed.ce.qKpyhdtptKT.jpg could save 5.1KiB (18% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-3-768x725.jpg.pagespeed.ce.Xl6qxPY6eO.jpg could save 5KiB (17% reduction).

 Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 927B (45% reduction).

- Compressing <https://kulibino.ru/wp-includes/js/wp-embed.min.js?ver=5.3.2> could save 659B (48% reduction).
- Compressing <https://kulibino.ru/wp-content/themes/koolibino/js/skip-link-focus-fix.js?ver=20151215> could save 268B (40% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-138238171-1> (15 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-MXK652S> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/1827055007308902?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://code.jivosite.com/script/widget/J7ptiGz0wT> (2 hours)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Mobile

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 778B (20% reduction).

- Minifying <https://kulibino.ru/wp-content/themes/koolibino/js/main.js?ver=20151215> could save 517B (17% reduction) after compression.
- Minifying <https://kulibino.ru/wp-content/themes/koolibino/js/skip-link-focus-fix.js?ver=20151215> could save 261B (39% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://kulibino.ru/wp-includes/css/dist/block-library/style.min.css,qver=5.3.2.pagespeed.ce.nu3cUbC0ol.css>



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Mobile

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Доставка и оплата` is close to 1 other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Mobile

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).


Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



75 / 100 Speed

! Should Fix:

Reduce server response time

In our test, your server responded in 0.76 seconds.

Desktop

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 153.9KiB (56% reduction).

- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/05/Kartinki-novostej-Kulibino_pechat-metodom-shelkografii.jpg.pagespeed.ce.afYueikcEY.jpg could save 42.1KiB (87% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/05/Kartinki-novostej-Kulibino_paket-s-logotipom.jpg.pagespeed.ce.Xh2hMizjW_.jpg could save 32.3KiB (81% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/12/kartinki-novostej-kulibino_nadyozhnost-ruchek-polietilenovyh-paketov.jpg.pagespeed.ce.FUVJs9JNfw.jpg could save 29.5KiB (82% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/08/Spartak.jpg.pagespeed.ce.AoQ6DQD_u1.jpg could save 26.6KiB (83% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-4-255x241.jpg.pagespeed.ce.On0QclGBHd.jpg could save 3.6KiB (20% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_futbolka-3-255x241.jpg.pagespeed.ce.fiNsG4ImcN.jpg could save 3.3KiB (21% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/04/LG-G-a-GG-Kg-G_Integra.png.pagespeed.ce.hMMXuz_XBq.png could save 3.3KiB (47% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_podarochnyj-1-255x241.jpg.pagespeed.ce.rdYk5r1XhA.jpg could save 3.1KiB (23% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_podarochnyj-4-255x241.jpg.pagespeed.ce.B3Sis_o2Zs.jpg could save 2.7KiB (24% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_banan-1-255x241.jpg.pagespeed.ce.KKgNL2UqNW.jpg could save 1.5KiB (12% reduction).

Desktop

- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-1-255x241.jpg.pagespeed.ce.etw-culKLe.jpg could save 1.1KiB (16% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-2-255x241.jpg.pagespeed.ce.S3WQ9-r08.jpg could save 1.1KiB (17% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/04/LG-G-a-GG-Kg-G_mobidev.png.pagespeed.ce.e9M7iWHhMa.png could save 1,006B (19% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/04/LG-G-a-GG-Kg-G_Pioni.png.pagespeed.ce.vKWmjzY_ze.png could save 927B (13% reduction).
- Compressing and resizing https://kulibino.ru/wp-content/uploads/2019/04/LG-G-a-GG-Kg-G_Prime-group.png.pagespeed.ce.vH96s6e8pa.png could save 907B (23% reduction).
- Compressing https://kulibino.ru/wp-content/uploads/2019/04/Kartinki-portfolio-Kulibino_dojpak-3-255x241.jpg.pagespeed.ce.d3zQU6IOSw.jpg could save 867B (14% reduction).

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 927B (45% reduction).

- Compressing <https://kulibino.ru/wp-includes/js/wp-embed.min.js?ver=5.3.2> could save 659B (48% reduction).
- Compressing <https://kulibino.ru/wp-content/themes/koolibino/js/skip-link-focus-fix.js?ver=20151215> could save 268B (40% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

Desktop

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-138238171-1> (15 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-MXK652S> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/1827055007308902?v=2.9.15&r=stable> (20 minutes)
- <https://mc.yandex.ru/metrika/advert.gif> (60 minutes)
- <https://mc.yandex.ru/metrika/tag.js> (60 minutes)
- <https://code.jivosite.com/script/widget/J7ptiGz0wT> (2 hours)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 778B (20% reduction).

- Minifying <https://kulibino.ru/wp-content/themes/koolibino/js/main.js?ver=20151215> could save 517B (17% reduction) after compression.
- Minifying <https://kulibino.ru/wp-content/themes/koolibino/js/skip-link-focus-fix.js?ver=20151215> could save 261B (39% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following

Desktop

resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://kulibino.ru/wp-includes/css/dist/block-library/style.min.css,qver=5.3.2.pagespeed.ce.nu3cUbC0ol.css>



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).