

PageSpeed Insights

Mobile



60 / 100 Speed

 Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://softlogicsys.in/>
- <https://softlogicsys.in/>
- <https://www.softlogicsys.in/>

Reduce server response time

Mobile

In our test, your server responded in 0.67 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://forms.mailmunch.co/sites/468968> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-118256377-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.softlogicsys.in/wp-includes/js/jquery/jquery.js>

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 30.6KiB (28% reduction).

- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/salesforce-courses-training.jpg> could save 5.1KiB (48% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/spring-courses-training.jpg> could save 3.3KiB (47% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/devops-courses-training.jpg> could save 3.3KiB (32% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/uiopath.jpg> could save 3.1KiB (41% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/hadoop-bigdata-courses.jpg> could save 3KiB (30% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/AI-Training.jpg> could save 1.8KiB (29% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/cloud-computing-courses.jpg> could save 1.4KiB (25% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/robotic-process-automation.jpg> could save 1.3KiB (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/machine-learning-course.jpg> could save 1,017B (17% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/datascience.jpg> could save 980B (18% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/microsoft-azure-courses-training.jpg> could save 877B (20% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/themes/hosthubs/assets/images/arrow.png> could save 861B (85% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/java-courses-training.jpg> could save 756B (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/core-java-courses-training.jpg> could save 675B (19% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/j2ee-courses-training.jpg> could save 648B (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/aws-courses->

Mobile

training.jpg could save 528B (15% reduction).

- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/python-courses.jpg> could save 481B (17% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/r-lanuage.jpg> could save 471B (13% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/blueprism.jpg> could save 458B (19% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/hibernate-courses-training.jpg> could save 431B (12% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/java-struts-courses-training.jpg> could save 291B (11% reduction).



5 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<div id="slide-3-layer-7" class="tp-caption Web...arallaxlevel-7">Job Planning...ining Programs</div>` is close to 1 other tap targets final.
- The tap target `<div id="slide-3-layer-7" class="tp-caption Web...arallaxlevel-7">Job Planning...ining Programs</div>` is close to 1 other tap targets final.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Mobile

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



71 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 0.67 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Desktop

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.softlogicsys.in/wp-includes/js/jquery/jquery.js>

[Optimize CSS Delivery](#) of the following:

- <https://fonts.googleapis.com/css?family=Montserrat:400,700%7CDroid+Serif:400,400italic,700,700italic%7COpen+Sans:400,300,300italic,400italic,600,600italic,700,700italic,800,800italic%7COpen+Sans:300,400,600,700,800,300italic,400italic,600italic,700italic,800italic%7COpen+Sans:300,600%7CRaleway:600%7COpen+Sans:300,300italic,regular,italic,600,600italic,700,700italic,800,800italic%7CAbril+Fatface:regular>

Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://softlogicsys.in/>
- <https://softlogicsys.in/>
- <https://www.softlogicsys.in/>

Leverage browser caching

Desktop

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://forms.mailmunch.co/sites/468968> (expiration not specified)
- <https://www.googletagmanager.com/gtag/js?id=UA-118256377-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 30.6KiB (28% reduction).

- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/salesforce-courses-training.jpg> could save 5.1KiB (48% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/spring-courses-training.jpg> could save 3.3KiB (47% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/devops-courses-training.jpg> could save 3.3KiB (32% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/uiopath.jpg> could save 3.1KiB (41% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/hadoop-bigdata-courses.jpg> could save 3KiB (30% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/AI-Training.jpg> could save 1.8KiB (29% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/cloud-computing-courses.jpg> could save 1.4KiB (25% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/robotic-process-automation.jpg> could save 1.3KiB (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/machine-learning-course.jpg> could save 1,017B (17% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/datascience.jpg> could save 980B (18% reduction).

Desktop

- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/microsoft-azure-courses-training.jpg> could save 877B (20% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/themes/hosthubs/assets/images/arrow.png> could save 861B (85% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/java-courses-training.jpg> could save 756B (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/core-java-courses-training.jpg> could save 675B (19% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/j2ee-courses-training.jpg> could save 648B (21% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/aws-courses-training.jpg> could save 528B (15% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/python-courses.jpg> could save 481B (17% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/r-lanuage.jpg> could save 471B (13% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/blueprism.jpg> could save 458B (19% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/hibernate-courses-training.jpg> could save 431B (12% reduction).
- Compressing <https://www.softlogicsys.in/wp-content/uploads/2019/03/java-struts-courses-training.jpg> could save 291B (11% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

54.8KiB of the HTML response was required to render the above-the-fold content. This requires 3 network round-trips. [Prioritize the above-the-fold content](#) so that it can be rendered with only the first 2 round-trips' worth of HTML.

- Only about 59% of the final above-the-fold content could be rendered with the HTML delivered within 2 round-trips.
- Click to see the screenshot with 2 round trips: [snapshot:4](#)



4 Passed Rules

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).